

TABLE OF CONTENTS

- 3. PARAGON TOUR A/S
- 4. PARAGON SPORT HP A/S
- 5. PARAGON TOUR CUV
- 6. PARAGON TOUR SUV
- 7. PARAGON TRACRUNNER HT
- 8. PARAGON RIDGERUNNER A/T

PARAGONTIRES.COM



PERFORMANCE TIRES

PARAGON TOUR A/S





H, T AND V AND W SPEED RATED UTQG 420 A A AND 420 A B

60,000 Mile Limited Treadwear Warranty

The Paragon Tour A/S tire is an all-season touring tire engineered to deliver exceptional handling and all-season performance. The Paragon Tour A/S features 4 wide circumferential grooves to help channel water away quickly and efficiently delivering excellent wet weather traction. A modern non-directional tread design provides superior road feel and handling making the Tour A/S the perfect everyday tire.

- Modern non-directional all-season tread design.
- Variable pitch tread design for low noise performance.
- Silica compound for superior wet traction and reduced rolling resistance.
- Jointless Bead Cover: spiral steel band wrapped around beads improves the structural rigidity of the tire resulting in a smooth ride.
- Higher sidewall turn-up provides improved sidewall strength and durability.



SIZE	LI/SR	L.R.	T.D.	UTQG
			32nds	
175/70R13	82T		10	420 A A
175/65R14	86T	XL	10	420 A A
175/70R14	84T		10	420 A A
185/60R14	82H		10	420 A A
185/65R14	86H		9	420 A A
185/70R14	88H		10	420 A A
195/70R14	91T		10	420 A A
185/60R15	88H	XL	10	420 A A
185/65R15	92H	XL	10	420 A A
195/55R15	85V		10	420 A A
195/60R15	88H		10	420 A A
195/65R15	91H		10	420 A A
205/60R15	95H	XL	10	420 A A
205/65R15	94H		10	420 A A
205/70R15	96T		10	420 A A
215/60R15	94H		10	420 A A
215/70R15	98T		10	420 A A
205/50R16	87H		10	420 A B
205/55R16	94V	XL	10	420 A A
205/60R16	92H		11	420 A A
205/65R16	95H		11	420 A A
215/55R16	97H	XL	11	420 A A
215/60R16	95H		10	420 A A
215/65R16	98T		10	420 A A
225/60R16	98H		10	420 A A
225/65R16	100H		10	420 A A
205/50R17	89V		10	420 A A
215/50R17	91V		10	420 A A
215/55R17	94V		10	420 A A
215/60R17	96T		10	420 A A
215/65R17	99T		10	420 A A
225/55R17	97W		10	420 A A
235/60R17	102T		10	420 A A
235/55R18	100V		10	420 A A
235/60R18	103H		10	420 A A

PARAGON SPORT IHP FA/S





W SPEED RATED UTQG 480 AA A

50,000 Mile Limited Treadwear Warranty

The Paragon Sport HP AS is an ultra-high performance all-season tire engineered for high-speed performance, cornering, and braking. The aggressive tread pattern features 4 high angle grooves to channel water away from the tread face, maximizing traction on wet surfaces. Tapered tread edges provided improved stability, even tread wear, and a quiet comfortable ride. The BU64 delivers the perfect balance between ultra-high performance and everyday comfort to give you confidence in all weather conditions.

- Solid center rib for improved high-speed stability, and reduced road noise.
- Silica compound for superior wet traction and reduced rolling resistance.
- High angle tread grooves enhance water evacuation and improve wet handling and hydroplane resistance.
- Taper tread edges promote even uniform contact pressure for increased stability, even wear and a quiet ride.
- 4 wide circumferential grooves enhance water drainage to maximize grip on wet surfaces.



SIZE	LI/SR	L.R.	T.D. 32nds	UTQG
215/45R17	91W	XL	10	480 AA A
225/45R17	94W	XL	10	480 AA A
225/50R17	98W	XL	10	480 AA A
235/45R17	97W	XL	10	480 AA A
235/55R17	99W	STD	10	480 AA A
245/45R17	99W	XL	10	480 AA A
225/40R18	92W	XL	10	480 AA A
225/45R18	95W	XL	10	480 AA A
235/40R18	95W	XL	10	480 AA A
235/50R18	101W	XL	10	480 AA A
245/40R18	97W	XL	10	480 AA A
245/45R18	100W	XL	10	480 AA A
235/40R19	96V	XL	10	480 AA A

PARAGON TOUR CUV P-METRIC





H, Q, R, S AND T SPEED RATED UTQG 700 A B AND 700 A A

60,000 Mile Limited Treadwear Warranty

The Paragon Tour CUV is engineered to deliver a combination of comfort and performance on SUVs and cross-over vehicles. A staggered tread block design provides a quiet, superior ride while full-depth sipes deliver exceptional all-weather traction throughout its long life. The Paragon Tour CUV features a specially formulated compound for enhanced tread life.

- Block design provides noise cancellation, balances pressure and allows for more contact points on the road surface.
- Block edge design provides better wet traction and handling.
- Enhanced upper shoulder profile allows better surface contact for control
- Tie bars on shoulders for high speed stability.
- Jointless Bead Cover: spiral steel band wrapped around beads improves the structural rigidity of the tire resulting in a smooth ride.
- · Rim Protector.



215/65R16 98T STD 12 700 A B 215/70R16 100T STD 11 700 A B 225/70R16 103S STD 12 700 A B 225/75R16 104S STD 11 700 A B 235/70R16 106T STD 11 700 A B 235/70R16 106T STD 11 700 A B 245/75R16 111T STD 11 700 A B 255/70R16 111T STD 11 700 A B 265/75R16 111T STD 11 700 A B 265/75R16 111T STD 11 700 A B 265/75R16 116T STD 11 700 A B 265/75R16 116T STD 11 700 A B 225/60R17 99H STD 11 700 A B 225/65R17 102S STD 12 700 A B 235/65R17 104T STD 12 700 A B 235/65R17 104S STD 12 700 A B 245/65R17 107T STD 11 700 A B 245/70R17 110T STD 11 700 A B 265/70R17 115T STD 11 700 A B 265/70R17 115T STD 11 700 A B 235/65R18 106T STD 11 700 A B 255/65R18 105H STD 11 700 A B 255/65R18 110T STD 11 700 A B 255/65R18 105H STD 11 700 A B 255/65R18 105H STD 11 700 A B 255/65R18 105H STD 11 700 A B 255/55R19 99V STD 10 700 A A 235/55R19 101V STD 10 700 A A 245/55R20 113H STD 10 700 A A 255/55R20 115S STD 11 700 A B	SIZE	LI/SR	L.R.	T.D.	UTQG
215/70R16 100T STD 11 700 A B 225/70R16 103S STD 12 700 A B 225/75R16 104S STD 11 700 A B 235/70R16 106T STD 11 700 A B 245/75R16 111T STD 11 700 A B 255/70R16 111T STD 11 700 A B 265/70R16 112T STD 11 700 A B 265/75R16 116T STD 11 700 A B 225/60R17 99H STD 11 700 A B 225/65R17 102S STD 12 700 A B 235/65R17 104T STD 12 700 A B 245/65R17 104S STD 12 700 A B 245/65R17 10T STD 11 700 A B 245/65R17 110T STD 11 700 A B 245/70R17 110T STD 11 700 A B 235/65R18				32nds	
225/70R16 103S STD 12 700 A B 225/75R16 104S STD 11 700 A B 235/70R16 106T STD 11 700 A B 245/75R16 111T STD 11 700 A B 255/70R16 111T STD 11 700 A B 265/70R16 112T STD 11 700 A B 265/75R16 116T STD 11 700 A B 225/60R17 99H STD 11 700 A B 225/65R17 102S STD 12 700 A B 235/65R17 104T STD 12 700 A B 245/65R17 104S STD 12 700 A B 245/65R17 10T STD 11 700 A B 245/65R17 112H STD 11 700 A B 245/70R17 110T STD 11 700 A B 235/65R18 103V XL 11 700 A B 235/65R18	215/65R16	98T	STD	12	700 A B
225/75R16 104S STD 11 700 A B 235/70R16 106T STD 11 700 A B 245/75R16 111T STD 11 700 A B 255/70R16 111T STD 11 700 A B 265/70R16 112T STD 11 700 A B 265/75R16 116T STD 11 700 A B 225/65R17 99H STD 11 700 A B 225/65R17 102S STD 12 700 A B 235/65R17 104T STD 12 700 A B 235/65R17 104S STD 12 700 A B 245/65R17 104S STD 12 700 A B 245/65R17 10T STD 11 700 A B 245/70R17 110T STD 11 700 A B 245/70R17 115T STD 11 700 A B 235/65R18 103V XL 11 700 A B 235/65R18	215/70R16	100T	STD	11	700 A B
235/70R16 106T STD 11 700 A B 245/75R16 111T STD 11 700 A B 255/70R16 111T STD 11 700 A B 265/70R16 112T STD 11 700 A B 265/75R16 116T STD 11 700 A B 225/60R17 99H STD 11 700 A B 225/65R17 102S STD 12 700 A B 235/65R17 104T STD 12 700 A B 235/65R17 104S STD 12 700 A B 245/65R17 107T STD 11 700 A B 245/65R17 112H STD 11 700 A B 245/70R17 110T STD 11 700 A B 245/70R17 115T STD 11 700 A B 235/65R18 103V XL 11 700 A B 235/65R18 105H STD 11 700 A B 255/65R18	225/70R16	103S	STD	12	700 A B
245/75R16 111T STD 11 700 A B 255/70R16 111T STD 11 700 A B 265/70R16 112T STD 11 700 A B 265/75R16 116T STD 11 700 A B 225/60R17 99H STD 11 700 A B 225/65R17 102S STD 12 700 A B 235/65R17 104T STD 12 700 A B 235/65R17 104S STD 12 700 A B 245/65R17 107T STD 11 700 A B 245/65R17 110T STD 11 700 A B 245/70R17 110T STD 11 700 A B 265/70R17 115T STD 11 700 A B 235/65R18 103V XL 11 700 A A 235/65R18 106T STD 11 700 A B 255/65R18 102S STD 11 700 A B 225/55R19	225/75R16	104S	STD	11	700 A B
255/70R16 111T STD 11 700 A B 265/70R16 112T STD 11 700 A B 265/75R16 116T STD 11 700 A B 225/60R17 99H STD 11 700 A B 225/65R17 102S STD 12 700 A B 235/65R17 104T STD 12 700 A B 235/65R17 104S STD 12 700 A B 245/65R17 107T STD 11 700 A B 245/65R17 112H STD 11 700 A B 245/70R17 110T STD 11 700 A B 245/70R17 115T STD 11 700 A B 235/65R18 103V XL 11 700 A A 245/60R18 105H STD 11 700 A B 255/65R18 102S STD 11 700 A B 255/55R19 99V STD 10 700 A A 245/55R19	235/70R16	106T	STD	11	700 A B
265/70R16 112T STD 11 700 A B 265/75R16 116T STD 11 700 A B 225/60R17 99H STD 11 700 A B 225/65R17 102S STD 12 700 A B 235/65R17 104T STD 12 700 A B 235/65R17 104S STD 12 700 A B 245/65R17 107T STD 11 700 A B 245/65R17 112H STD 11 700 A B 265/65R17 110T STD 11 700 A B 265/70R17 115T STD 11 700 A B 235/65R18 103V XL 11 700 A B 235/65R18 106T STD 11 700 A B 255/65R18 102S STD 11 700 A B 255/65R18 110T STD 11 700 A B 225/55R19 99V STD 10 700 A A 235/55R19	245/75R16	111T	STD	11	700 A B
265/75R16 116T STD 11 700 A B 225/60R17 99H STD 11 700 A A 225/65R17 102S STD 12 700 A B 235/65R17 104T STD 12 700 A B 235/65R17 104S STD 12 700 A B 245/65R17 107T STD 11 700 A B 265/65R17 112H STD 11 700 A B 245/70R17 110T STD 11 700 A B 265/70R17 115T STD 11 700 A B 235/65R18 103V XL 11 700 A A 235/65R18 106T STD 11 700 A B 255/65R18 105H STD 11 700 A B 255/65R18 102S STD 11 700 A B 225/55R19 99V STD 10 700 A A 235/55R19 101V STD 10 700 A A 255/50R20	255/70R16	111T	STD	11	700 A B
225/60R17 99H STD 11 700 A A 225/65R17 102S STD 12 700 A B 235/65R17 104T STD 12 700 A B 235/65R17 104S STD 12 700 A B 245/65R17 107T STD 11 700 A B 265/65R17 112H STD 11 700 A B 245/70R17 110T STD 11 700 A B 265/70R17 115T STD 11 700 A B 235/60R18 103V XL 11 700 A A 235/65R18 106T STD 11 700 A B 245/60R18 105H STD 11 700 A B 255/65R18 102S STD 11 700 A B 225/55R19 99V STD 11 700 A B 225/55R19 101V STD 10 700 A A 245/55R20 105H STD 10 700 A A 255/50R20	265/70R16	112T	STD	11	700 A B
225/65R17 102S STD 12 700 A B 235/65R17 104T STD 12 700 A B 235/65R17 104S STD 12 700 A B 245/65R17 107T STD 11 700 A B 265/65R17 112H STD 11 700 A B 245/70R17 110T STD 11 700 A B 265/70R17 115T STD 11 700 A B 235/60R18 103V XL 11 700 A A 235/65R18 106T STD 11 700 A A 245/60R18 105H STD 11 700 A B 255/65R18 102S STD 11 700 A B 275/65R18 110T STD 11 700 A B 225/55R19 99V STD 10 700 A A 245/55R19 101V STD 10 700 A A 255/50R20 105H STD 10 700 A A 265/50R20	265/75R16	116T	STD	11	700 A B
235/65R17 104T STD 12 700 A B 235/65R17 104S STD 12 700 A B 245/65R17 107T STD 11 700 A B 265/65R17 112H STD 11 700 A B 245/70R17 110T STD 11 700 A B 265/70R17 115T STD 11 700 A B 235/60R18 103V XL 11 700 A A 235/65R18 106T STD 11 700 A B 245/60R18 105H STD 11 700 A B 255/65R18 102S STD 11 700 A B 265/60R18 110T STD 11 700 A B 225/55R19 99V STD 10 700 A A 235/55R19 101V STD 10 700 A A 245/55R19 1.3H STD 10 700 A A 255/50R20 105H STD 10 700 A A 265/50R20	225/60R17	99H	STD	11	700 A A
235/65R17 104S STD 12 700 A B 245/65R17 107T STD 11 700 A B 265/65R17 112H STD 11 700 A B 245/70R17 110T STD 11 700 A B 265/70R17 115T STD 11 700 A B 235/60R18 103V XL 11 700 A A 235/65R18 106T STD 11 700 A B 245/60R18 105H STD 11 700 A B 255/65R18 102S STD 11 700 A B 265/60R18 110T STD 11 700 A B 275/65R18 116T STD 11 700 A B 225/55R19 99V STD 10 700 A A 245/55R19 101V STD 10 700 A A 255/50R20 105H STD 10 700 A A 265/50R20 107V STD 10 700 A A 275/55R20	225/65R17	102S	STD	12	700 A B
245/65R17 107T STD 11 700 A B 265/65R17 112H STD 11 700 A B 245/70R17 110T STD 11 700 A B 265/70R17 115T STD 11 700 A B 235/60R18 103V XL 11 700 A A 235/65R18 106T STD 11 700 A A 245/60R18 105H STD 11 700 A B 255/65R18 102S STD 11 700 A B 265/60R18 110T STD 11 700 A B 275/65R18 116T STD 11 700 A B 225/55R19 99V STD 10 700 A A 245/55R19 10V STD 10 700 A A 255/50R20 105H STD 10 700 A A 265/50R20 107V STD 10 700 A A 275/55R20 113H STD 10 700 A A 275/60R20	235/65R17	104T	STD	12	700 A B
265/65R17 112H STD 11 700 A B 245/70R17 110T STD 11 700 A B 265/70R17 115T STD 11 700 A B 235/60R18 103V XL 11 700 A A 235/65R18 106T STD 11 700 A A 245/60R18 105H STD 11 700 A B 255/65R18 102S STD 11 700 A B 265/60R18 110T STD 11 700 A B 275/65R18 116T STD 11 700 A B 225/55R19 99V STD 10 700 A A 245/55R19 101V STD 10 700 A A 245/55R20 105H STD 10 700 A A 265/50R20 107V STD 10 700 A A 275/55R20 113H STD 10 700 A A 275/60R20 115S STD 11 700 A B	235/65R17	104S	STD	12	700 A B
245/70R17 110T STD 11 700 A B 265/70R17 115T STD 11 700 A B 235/60R18 103V XL 11 700 A A 235/65R18 106T STD 11 700 A A 245/60R18 105H STD 11 700 A B 255/65R18 102S STD 11 700 A B 265/60R18 110T STD 11 700 A B 275/65R18 116T STD 11 700 A B 225/55R19 99V STD 10 700 A A 235/55R19 101V STD 10 700 A A 245/55R19 1.3H STD 10 700 A A 255/50R20 105H STD 10 700 A A 265/50R20 107V STD 10 700 A A 275/55R20 113H STD 10 700 A A 275/60R20 115S STD 11 700 A B	245/65R17	107T	STD	11	700 A B
265/70R17 115T STD 11 700 A B 235/60R18 103V XL 11 700 A A 235/65R18 106T STD 11 700 A A 245/60R18 105H STD 11 700 A B 255/65R18 102S STD 11 700 A A 265/60R18 110T STD 11 700 A B 275/65R18 116T STD 11 700 A B 225/55R19 99V STD 10 700 A A 235/55R19 101V STD 10 700 A A 245/55R19 1.3H STD 10 700 A A 255/50R20 105H STD 10 700 A A 265/50R20 107V STD 10 700 A A 275/55R20 113H STD 10 700 A A 275/60R20 115S STD 11 700 A B	265/65R17	112H	STD	11	700 A B
235/60R18 103V XL 11 700 A A 235/65R18 106T STD 11 700 A A 245/60R18 105H STD 11 700 A B 255/65R18 102S STD 11 700 A A 265/60R18 110T STD 11 700 A B 275/65R18 116T STD 11 700 A B 225/55R19 99V STD 10 700 A A 235/55R19 101V STD 10 700 A A 245/55R19 1.3H STD 10 700 A A 255/50R20 105H STD 10 700 A A 265/50R20 107V STD 10 700 A A 275/55R20 113H STD 10 700 A A 275/60R20 115S STD 11 700 A B	245/70R17	110T	STD	11	700 A B
235/65R18 106T STD 11 700 A A 245/60R18 105H STD 11 700 A B 255/65R18 102S STD 11 700 A A 265/60R18 110T STD 11 700 A B 275/65R18 116T STD 11 700 A B 225/55R19 99V STD 10 700 A A 235/55R19 101V STD 10 700 A A 245/55R19 1.3H STD 10 700 A A 255/50R20 105H STD 10 700 A A 265/50R20 107V STD 10 700 A A 275/55R20 113H STD 10 700 A A 275/60R20 115S STD 11 700 A B	265/70R17	115T	STD	11	700 A B
245/60R18 105H STD 11 700 A B 255/65R18 102S STD 11 700 A A 265/60R18 110T STD 11 700 A B 275/65R18 116T STD 11 700 A B 225/55R19 99V STD 10 700 A A 235/55R19 101V STD 10 700 A A 245/55R19 1.3H STD 10 700 A A 255/50R20 105H STD 10 700 A A 265/50R20 107V STD 10 700 A A 275/55R20 113H STD 10 700 A A 275/60R20 115S STD 11 700 A B	235/60R18	103V	XL	11	700 A A
255/65R18 102S STD 11 700 A A 265/60R18 110T STD 11 700 A B 275/65R18 116T STD 11 700 A B 225/55R19 99V STD 10 700 A A 235/55R19 101V STD 10 700 A A 245/55R19 1.3H STD 10 700 A A 255/50R20 105H STD 10 700 A A 265/50R20 107V STD 10 700 A A 275/55R20 113H STD 10 700 A A 275/60R20 115S STD 11 700 A B	235/65R18	106T	STD	11	700 A A
265/60R18 110T STD 11 700 A B 275/65R18 116T STD 11 700 A B 225/55R19 99V STD 10 700 A A 235/55R19 101V STD 10 700 A A 245/55R19 1.3H STD 10 700 A A 255/50R20 105H STD 10 700 A A 265/50R20 107V STD 10 700 A A 275/55R20 113H STD 10 700 A A 275/60R20 115S STD 11 700 A B	245/60R18	105H	STD	11	700 A B
275/65R18 116T STD 11 700 A B 225/55R19 99V STD 10 700 A A 235/55R19 101V STD 10 700 A A 245/55R19 1.3H STD 10 700 A A 255/50R20 105H STD 10 700 A A 265/50R20 107V STD 10 700 A A 275/55R20 113H STD 10 700 A A 275/60R20 115S STD 11 700 A B	255/65R18	102S	STD	11	700 A A
225/55R19 99V STD 10 700 A A 235/55R19 101V STD 10 700 A A 245/55R19 1.3H STD 10 700 A A 255/50R20 105H STD 10 700 A A 265/50R20 107V STD 10 700 A A 275/55R20 113H STD 10 700 A A 275/60R20 115S STD 11 700 A B	265/60R18	110T	STD	11	700 A B
235/55R19 101V STD 10 700 A A 245/55R19 1.3H STD 10 700 A A 255/50R20 105H STD 10 700 A A 265/50R20 107V STD 10 700 A A 275/55R20 113H STD 10 700 A A 275/60R20 115S STD 11 700 A B	275/65R18	116T	STD	11	700 A B
245/55R19 1.3H STD 10 700 A A 255/50R20 105H STD 10 700 A A 265/50R20 107V STD 10 700 A A 275/55R20 113H STD 10 700 A A 275/60R20 115S STD 11 700 A B	225/55R19	99V	STD	10	700 A A
255/50R20 105H STD 10 700 A A 265/50R20 107V STD 10 700 A A 275/55R20 113H STD 10 700 A A 275/60R20 115S STD 11 700 A B	235/55R19	101V	STD	10	700 A A
265/50R20 107V STD 10 700 A A 275/55R20 113H STD 10 700 A A 275/60R20 115S STD 11 700 A B	245/55R19	1.3H	STD	10	700 A A
275/55R20 113H STD 10 700 A A 275/60R20 115S STD 11 700 A B	255/50R20	105H	STD	10	700 A A
275/60R20 115S STD 11 700 A B	265/50R20	107V	STD	10	700 A A
	275/55R20	113H	STD	10	700 A A
275/60R20 115S STD 11 700 A B	275/60R20	115S	STD	11	700 A B
	275/60R20	115S	STD	11	700 A B

PARAGON TOUR SUV





60,000 Mile Limited Treadwear Warranty

The TOUR SUV is tailored for SUV drivers pursuing excellence in both comfort and drivability. The TOUR SUV stays in tune with the driver's needs for responsive handling and traction, incorporating the need for a quiet, comfortable cabin, while ensuring vehicle size and weight requirements are met. Available in a modern size range and backed by a premium mileage warranty, the TOUR SUV is engineered to deliver and enhance the driving experience specifically for today's SUV's and CUV's.

- Wet Handling: Broad circumferential grooves integrated with shoulder lateral grooves, provide effective water evacuation, ensuring exceptional wet traction.
- Premium Mileage: High mileage tread compounds formulated via advanced mixing technology are used with optimized contact footprint to promote longer tread life
- Quiet Cabin: Frequency staggering technology and multi-pitch design are optimized by SPPS noise simulation technology ensuring minimal road noise




SIZE	LI/SR	L.R.	T.D.	UTQG
			32nds	
265/70R16	112H		10	700/A/A
255/70R16	111H		10	700/A/A
215/70R16	100H		10	700/A/A
215/65R16	98H		10	700/A/A
235/60R16	100H		10	700/A/A
245/70R16	107T		10	700/A/A
235/65R17	104H		10	700/A/A
225/60R17	99H		10	700/A/A
265/65R17	112H		10	700/A/A
235/60R17	102H		10	700/A/A
215/60R17	96H		10	700/A/A
225/65R17	102H		10	700/A/A
225/55R17	97V		10	700/A/A
255/60R17	106H		10	700/A/A
235/55R17	99V		10	700/A/A
245/65R17	107H		10	700/A/A
235/65R18	106H		10	700/A/A
235/55R18	100V		10	700/A/A
255/65R18	111T		10	700/A/A
225/55R18	98V		10	700/A/A
215/55R18	95H		10	700/A/A
235/50R18	97V		10	700/A/A
265/60R18	110H		10	700/A/A
245/60R18	105H		10	700/A/A
225/60R18	100H		10	700/A/A
255/55R18	109V	XL	10	700/A/A
235/60R18	107V	XL	10	700/A/A
265/50R19	110V	XL	10	700/A/A
255/50R19	107V	XL	10	700/A/A
235/50R19	103V	XL	10	700/A/A
235/45R19	95V		10	700/A/A
255/60R19	109H		10	700/A/A
225/55R19	99V		10	700/A/A
255/55R19	111V	XL	10	700/A/A
245/55R19	103V		10	700/A/A
235/55R19	105V	XL	10	700/A/A
255/50R20	109V	XL	10	700/A/A
245/60R20	107H		10	700/A/A
265/50R20	107H		10	700/A/A
275/40R20	106W	XL	10	700/A/A
255/55R20	110V	XL	10	700/A/A
235/55R20	105V	XL	10	700/A/A
245/50R20	102V		10	700/A/A
265/40R21	105W	XL	10	700/A/A
275/40R21	107W	XL	10	700/A/A
295/35R21	107W	XL	10	700/A/A
315/40R21	115W	XL	10	700/A/A
285/40R21	109W	XL	10	700/A/A
275/45R21	110W	XL	10	700/A/A
			. •	

PARAGON TRACRUNNER







Q, R, AND S SPEED RATED

The Paragon TracRunner HT is engineered to deliver a combination of comfort and performance on pickups and SUVs vehicles. A staggered tread block design provides a quiet, superior ride while full-depth sipes deliver exceptional all-weather traction throughout its long life. The Paragon TracRunner HT features a specially formulated compound for enhanced tread life.

- Block design provides noise cancellation, balances pressure and allows for more contact points on the road surface.
- Block edge design provides better wet traction and handling.
- Enhanced upper shoulder profile allows better surface contact for control.
- · Tie bars on shoulders for high speed stability.
- Jointless Bead Cover: spiral steel band wrapped around beads improves the structural rigidity of the tire resulting in a smooth ride.
- Rim Protector.



SIZE	LI/SR	L.R.	T.D.	UTQG
			32nds	
LT225/75R16	115/112S	10PR	13	_
LT235/85R16	120/116S	10PR	13	_
LT245/75R16	120/116Q	10PR	13	_
LT265/75R16	123/120Q	10PR	13	_
LT265/70R17	121/118Q	10PR	13	_

PARAGON RIDGERUNNER





R, S AND T SPEED RATED UTQG 500 A B



50,000 Mile Limited Treadwear Warranty

* Mileage warranty does not apply to LT designated tires.

The Paragon Ridgerunner A/T is a premium all-terrain tire that can handle on-and-off road terrains with ease. With an advanced tread pattern and aggressive sidewall the Paragon Ridgerunner A/T delivers exceptional traction on all road conditions. Along with strength and durability it still delivers a smooth and quiet ride for cruising.

- Modern aggressive AT design.
- Multi width shoulder grooves improves wet grip.
- Stair-step tread grooves improves water evacuation and stone ejection. High tensile strength bead wire.
- Jointless Bead Cover: spiral steel band wrapped around beads improves the structural rigidity of the tire resulting in a smooth ride.
- Extra Poly Ply for added strength.
- · Rim protector
- Severe Winter Service 3PMS certification denotes a true winter tire, meets severe snow service requirements of RMA/ RAC standards.



SIZE	LI/SR	L.R.	T.D.	UTQG
			32nds	
265/70R16	112T	SL	13	500 A B
265/75R16	116S	SL	13	500 A B
265/70R17	115T	SL	13	500 A B
31X10.50R15LT*	109S	6PR	16	_
LT225/75R16*	115/112S	10PR	16	_
LT235/85R16*	120/116S	10PR	16	_
LT245/75R16*	120/116S	10PR	16	_
LT245/75R17*	121/118S	10PR	16	_
LT265/70R17*	121/118S	10PR	16	_

^{* 3}PMS Winter Certified

PARAGON TOUR A/S



- Modern non-directional all-season tread design.
- Variable pitch tread design for low noise performance.
- Silica compound for superior wet traction and reduced rolling resistance.
- Jointless Bead Cover: spiral steel band wrapped around beads improves the structural rigidity of the tire resulting in a smooth ride.

PARAGON SPORT IHP FA/S



- Solid center rib for improved high-speed stability, and reduced road noise.
- Silica compound for superior wet traction and reduced rolling resistance.
- High angle tread grooves enhance water evacuation and improve wet handling and hydroplane resistance.
- Taper tread edges promote even uniform contact pressure for increased stability, even wear and a quiet ride.
- 4 wide circumferential grooves enhance water drainage to maximize grip on wet surfaces.

TOUR CUV P-METRIC



- Tread design provides low road noise, by even distribution of contact points.
- Biting edges in shoulder lug design provide predictable wet traction and handling.
- Tie bars on shoulders for high speed stability.
- · Rim Protector.

PARAGON **TOUR SUV**



- Wet Handling: Broad circumferential grooves, provide effective water evacuation, ensuring exceptional wet traction.
- Premium Mileage: High mileage tread compounds formulated via advanced mixing technology are used with optimized contact footprint for longer tread life
- Quiet Cabin: Frequency staggering technology and multi-pitch design are optimized by SPPS noise simulation technology ensuring minimal road noise

PARAGON TRACRUNNER

HT



- Radial construction provides strength and durability
- Tread is designed to reduce excessive heat build up
- Tread pattern delivers a stable and quiet ride
- Rubber compound engineered to provide low rolling resistance
- Nylon overlay on 15" and 16" sizes.

PARAGON RIDGERUNNER

FI/T



- Modern aggressive AT design.
- Circumferential wide tread grooves deliver exceptional wet grip and handling.
- Tiered tread grooves improve water evacuation and reduces stone ejection.
- High tensile strength bead wire, jointless bead cover and wrapped bead wire improves the structural rigidity of the tire resulting in a stable, smooth ride.
- Rim protector

PARAGON

USA LIMITED WARRANTY PASSENGER & LIGHT TRUCK TIRES

This Limited Warranty / Adjustment Policy provides for tire replacement under specified conditions. This policy applies to PARAGON tires used in normal highway service (commercial applications excluded) displaying warrantable conditions. Tires that become unserviceable or wear out because of neglect or mistreatment are excluded from PARAGON warranty coverage.

THIS IS THE ONLY EXPRESSED WARRANTY MADE BY SAILUN TIRE AMERICAS NO EMPLOYEE, RETAILER, DEALER, OR REPRESENTATIVE HAS THE AUTHORITY TO MAKE ANY WARRANTY, REPRESENTATION, PROMISE OR AGREEMENT THAT IN ANY WAY VARIES THE TERMS OR CONDITIONS SET FORTH IN THIS LIMITED WARRANTY.

WARRANTY ELIGIBILITY

This warranty applies to every PARAGON replacement passenger car or light truck tire bearing the PARAGON brand name and complete Department of Transportation serial identification number while operated in normal highway use (commercial applications excluded) in the USA. These tires are covered by this warranty for the life of the original usable tread depth (the original tread depth down to the level of tread wear indicators molded at 2/32 inch) within 60 months from the date of purchase (proof of purchases required), or if proof of purchase is not available, the coverage will be 60 months from the date of manufacture. This warranty applies only to the original tire purchaser, and is not transferrable to any other party. This time period does not represent the expected service life for tires covered by this warranty.

WHAT IS NOT WARRANTED

Improper repairs or repairs that have failed. Improper repairs will void this Limited Warranty.

Improper maintenance which can include: improper inflation or other maintenance abuses.

Improper application or operations such as speeding, improper tire size and / or specification.

Improper mounting / dismounting procedures, tire/wheel assembly imbalance.

Mechanical irregularities in the vehicle or wheel, such as bent wheel assemblies, misalignment, worn or faulty components.

Weather checking/cracking or failures after four years (60 months) from the date of manufacture.

Accident, corrosion, vandalism, fire or damages caused by contamination by petroleum or other chemical products.

Tires used in commercial applications such as taxis, shuttle vehicles and couriers.

Irregular tread wear, or worn-out (beyond 2/32nds remaining tread depth) is not covered under the Paragon Limited Warranty
Road hazard injuries or damages caused by obstacles or debris, such as cuts, punctures (whether repairable or not), snags, bruises, tears, abrasions or impact breaks (whether repairable or not), etc.

Damage from racing, off road use (forestry roads, gravel, rock) and misapplication of the tire to vehicle.

ADDITIONAL EXCLUSIONS

Materials added such as fillers, sealants, balancing substances and external tire treatments. If the added material is the cause of a failure the warranty will be deemed as void.

Tires submitted for ride disturbance complaints after 25% (2/32") tread wear.

Tires on vehicles registered or operated outside of the USA.

Tires not purchased in the USA through the Sailun Tire Americas distribution channel.

Tires purchased as used.

Tires branded by Paragon to note special classification at time of purchase, such as "NA" (non-adjustable), or tires altered by notching or buffing.

Tires used on vehicles in racing or special applications.

Tires rendered unserviceable due to snow chains or studs. Flat spotting due to improper storage or caused by brake lock.

i lat spotting due to improper storage or caused by brake to

Paragon products produced prior to January 1, 2013.

* Note: Consequential damage mentioned above may not apply to you based on individual State limitations.

PARAGON

WHAT IS WARRANTED

Tires that have become unserviceable for reasons other than stated above, within 48 months of the date of manufacturer or 60 months from the date of purchase (proof of purchase required) during its useable tread life, the tires will be replaced in accordance with this warranty.

LIMITED MILEAGE WARRANTY

MODEL	DEFECTS / MATERIALS	# Months	TREAD LIFE PROTECTION	MILES / MONTHS
TOUR A/S	Yes	60	Yes	60K/60
SPORT HP A/S	Yes	60	Yes	50K/60
RIDGERUNNER A/T	Yes	60	Yes	50K/60
TOUR CUV	Yes	60	Yes	60K/60
PARAGON TOUR SUV	Yes	60	Yes	60K/60
TRACRUNNER HT	Yes	60	No	-

Note: All tire models, staggered vehicles have half mileage for rear tires if different size than the front tires

Select PARAGON tires are assigned a Limited Mileage Warranty that protects the consumer against premature tread wear. If a tire reaches the end of its "usable tread life" before the stated mileage protection, the consumer will be issued a replacement PARAGON tire on a prorated basis, which means the consumer will be responsible for a percentage of the replacement cost. In order to maintain limited mileage protection, all tires must be properly inflated, balanced, rotated and aligned as recommended by vehicle manufacturer. All claims must be accompanied by the original purchase invoice as well as invoices for all on time services provided. Under all circumstances, the cost of mounting, balancing and any other service charges including applicable taxes, disposal fees are required to be paid by the consumer.

APPROVED TIRE ROTATION INTERVALS AND PATTERNS

The purpose of regularly rotating tires is to prolong their useful life by achieving more uniform wear for all tires on a vehicle. Before rotating tires, always consult the owner's manual for rotation recommendations for specific vehicles. If no rotation period is specified, tires should be rotated, at minimum, every 6,000 miles or

at any sign of uneven wear. The first rotation is the most important. Rotating the tires as recommended by the vehicle or tire manufacturer will help even out the amount of wear on each tire and extend the life of the entire set. Such tires include: "Temporary Use Spares", unidirectional tires and tires with asymmetric tread designs. Also, some vehicles may have different sized tires mounted on the front and rear axles, and these different sized tires have rotation restrictions. Check the owner's manual for the proper rotation recommendations for these special cases. When tires are rotated, the inflation pressures must be adjusted for the tires' new positions in accordance with the actual loads on that wheel position and the vehicle manufacturer's recommendations. Underinflated or overinflated tires may result in poor handling, uneven tread wear, and increased fuel consumption. If the tires show uneven wear, ask the service person to check for and correct any misalignment, imbalance, or other mechanical problem before rotation.

ADJUSTMENT POLICY

Passenger and Light Truck Tires When the original usable tread is worn 25% (2/32") or less, and a warrantable condition is found, the tire will be replaced with a comparable new PARAGON tire free of charge. Replacement tires will be mounted and balanced at the vehicle owner's expense. Other service charges such as tire rotation, alignment or applicable taxes are payable by the customer. When a tire has worn past the above specified period for free replacement and a warrantable condition is found, the customer must pay for the cost of a new comparable PARAGON passenger or light truck tire on a prorated basis. The dealer shall determine this cost by multiplying the percentage of usable tread worn by the current retail selling price (Suggested Retail Price x 80%) of that tire at the time of warranty replacement. The cost of mounting, balancing and any other service charges or applicable taxes are payable by the customer.

MANDATORY TIRE REGISTRATION

For tires purchased in the USA, please register your tires at: paragontireusa.com

ALL PARAGON TIRE WARRANTIES MUST BE SUBMITTEDTHROUGH THE POINT OF PURCHASE

Rev 1.24U



11 11

