

PARAGONTIRES.COM



TABLE OF CONTENTS

- 3. PARAGON TOUR A/S
- 4. PARAGON SPORT HP AS2
- 5. PARAGON TOUR SUV
- 6. PARAGON TRACRUNNER HT
- 7. PARAGON RIDGERUNNER AT²
- 8. RIDGERUNNER RT

PARAGONTIRES.COM





| 9 | Wet Performance |
|-------|-----------------|
| 9 | Dry Performance |
| 9 | Ride Comfort |
| 9 | Quietness |
| 9 | Tread Life |
| | |

H, T, V AND W SPEED RATED UTQG 420 A A AND 420 A B

60,000 Mile Limited Treadwear Warranty

The Paragon Tour A/S tire is an all-season touring tire engineered to deliver exceptional handling and all-season performance. The Paragon Tour A/S features 4 wide circumferential grooves to help channel water away quickly and efficiently delivering excellent wet weather traction. A modern non-directional tread design provides superior road feel and handling making the Tour A/S the perfect everyday tire.

- Modern non-directional all-season tread design.
- Variable pitch tread design for low noise performance.
- Silica compound for superior wet traction and reduced rolling resistance.
- Jointless Bead Cover: spiral steel band wrapped around beads improves the structural rigidity of the tire resulting in a smooth ride.
- Higher sidewall turn-up provides improved sidewall strength and durability.

For full warranty details, visit www.paragontires.com/warranty



| SIZE | LI/SR | L.R. | T.D. | UTQG |
|-----------|-------|------|-------|---------|
| | | | 32nds | |
| 175/70R13 | 82T | | 10 | 420 A A |
| 175/65R14 | 86T | XL | 10 | 420 A A |
| 175/70R14 | 84T | | 10 | 420 A A |
| 185/60R14 | 82H | | 10 | 420 A A |
| 185/65R14 | 86H | | 9 | 420 A A |
| 185/70R14 | 88H | | 10 | 420 A A |
| 195/70R14 | 91T | | 10 | 420 A A |
| 185/60R15 | 88H | XL | 10 | 420 A A |
| 185/65R15 | 92H | XL | 10 | 420 A A |
| 195/55R15 | 85V | | 10 | 420 A A |
| 195/60R15 | 88H | | 10 | 420 A A |
| 195/65R15 | 91H | | 10 | 420 A A |
| 205/60R15 | 95H | XL | 10 | 420 A A |
| 205/65R15 | 94H | | 10 | 420 A A |
| 205/70R15 | 96T | | 10 | 420 A A |
| 215/60R15 | 94H | | 10 | 420 A A |
| 215/70R15 | 98T | | 10 | 420 A A |
| 205/50R16 | 87H | | 10 | 420 A B |
| 205/55R16 | 94V | XL | 10 | 420 A A |
| 205/60R16 | 92H | | 11 | 420 A A |
| 205/65R16 | 95H | | 11 | 420 A A |
| 215/55R16 | 97H | XL | 11 | 420 A A |
| 215/60R16 | 95H | | 10 | 420 A A |
| 215/65R16 | 98T | | 10 | 420 A A |
| 225/60R16 | 98H | | 10 | 420 A A |
| 225/65R16 | 100H | | 10 | 420 A A |
| 205/50R17 | 89V | | 10 | 420 A A |
| 215/50R17 | 91V | | 10 | 420 A A |
| 215/55R17 | 94V | | 10 | 420 A A |
| 215/60R17 | 96T | | 10 | 420 A A |
| 215/65R17 | 99T | | 10 | 420 A A |
| 225/55R17 | 97W | | 10 | 420 A A |
| 235/60R17 | 102T | | 10 | 420 A A |
| 235/55R18 | 100V | | 10 | 420 A A |
| 235/60R18 | 103H | | 10 | 420 A A |
| | | | | |

PARAGON SPORT HP AS2



- 9 Ride Comfort
 - Quietness
 - Tread Life

V,W AND Y SPEED RATED UTQG 600 A A

50,000 Mile Limited Treadwear Warranty

The Paragon SPORT HP AS2 is an exceptional ultra high-performance all-season tire designed for car enthusiasts who enjoy their vehicle to their fullest. The Paragon SPORT HP AS2 also provides well-grounded cornering stability, with significant improvements in both dry and wet braking performance. Backed with an excellent tread life warranty, you can enjoy as many roads as you desire.

9

8

- Enhanced Longevity: featuring an advanced super wear-resistant compound, this tire outlasts similar products in its category, providing extended durability and reliability
- Reinforced Structural Integrity: improves stability during highspeed driving and cornering.
- Reliable Performance: a contemporary tread design with optimized void patterns increases the number of groove edges, greatly improving wet traction and overall stability.

For full warranty details, visit www.paragontires.com/warranty



I R

UTQG

ΤD

LI/SR

SIZE

| SIZE | LI/SR | L.R. | T.D. | UTQG |
|-----------|--------------|------|-------|---------|
| | | | 32nds | |
| 205/45R16 | 87W | XL | 10 | 600 A A |
| 205/45R16 | 87W | XL | 10 | 600 A A |
| 205/50R16 | 87W | | 10 | 600 A A |
| 205/55R16 | 91W | | 10 | 600 A A |
| 215/55R16 | 97W | XL | 10 | 600 A A |
| 205/45R17 | 88W | XL | 10 | 600 A A |
| 205/50R17 | 93W | XL | 10 | 600 A A |
| 215/45R17 | 91W | XL | 10 | 600 A A |
| 215/50R17 | 91V | | 10 | 600 A A |
| 215/55R17 | 98W | XL | 10 | 600 A A |
| 225/45R17 | 91V | | 10 | 600 A A |
| 225/50R17 | 98V | XL | 10 | 600 A A |
| 225/55R17 | 101W | XL | 10 | 600 A A |
| 235/45R17 | 97W | XL | 10 | 600 A A |
| 235/50R17 | 100W | XL | 10 | 600 A A |
| 235/55R17 | 103W | XL | 10 | 600 A A |
| 245/40R17 | 95V | XL | 10 | 600 A A |
| 245/45R17 | 99W | XL | 10 | 600 A A |
| 215/45R18 | 93W | XL | 10 | 600 A A |
| 225/40R18 | 93W | XL | 10 | 600 A A |
| 225/40R18 | 92W 95W | | | |
| | | XL | 10 | 600 A A |
| 225/50R18 | 99W | XL | 10 | 600 A A |
| 225/55R18 | 102W | XL | 10 | 600 A A |
| 235/40R18 | 95W | XL | 10 | 600 A A |
| 235/45R18 | 98W | XL | 10 | 600 A A |
| 235/50R18 | 97W | | 10 | 600 A A |
| 235/55R18 | 104W | XL | 10 | 600 A A |
| 245/40R18 | 97W | XL | 10 | 600 A A |
| 245/45R18 | 100W | XL | 10 | 600 A A |
| 245/55R18 | 107W | XL | 10 | 600 A A |
| 255/35R18 | 90W | | 10 | 600 A A |
| 225/40R19 | 93W | XL | 10 | 600 A A |
| 225/45R19 | 92W | | 10 | 600 A A |
| 225/55R19 | 103W | XL | 10 | 600 A A |
| 235/35R19 | 91W | XL | 10 | 600 A A |
| 235/40R19 | 92W | | 10 | 600 A A |
| 235/50R19 | 103W | XL | 10 | 600 A A |
| 235/55R19 | 105W | XL | 10 | 600 A A |
| 245/35R19 | 93W | XL | 10 | 600 A A |
| 245/40R19 | 98W | XL | 10 | 600 A A |
| 245/45R19 | 102W | XL | 10 | 600 A A |
| 245/50R19 | 101W | | 10 | 600 A A |
| 255/35R19 | 96W | XL | 10 | 600 A A |
| 255/40R19 | 100W | XL | 10 | 600 A A |
| 255/45R19 | 104W | XL | 10 | 600 A A |
| 275/40R19 | 101W | | 10 | 600 A A |
| 235/55R20 | 102W | | 10 | 600 A A |
| 245/35R20 | 95W | XL | 10 | 600 A A |
| 245/40R20 | 99Y | XL | 10 | 600 A A |
| 245/45R20 | 103Y | XL | 10 | 600 A A |
| 245/50R20 | 105 Y | XL | 10 | 600 A A |
| 255/40R20 | | XL | | 600 A A |
| | 101Y 105Y | | 10 | |
| 255/45R20 | | XL | 10 | 600 A A |
| 275/35R20 | 102Y | XL | 10 | 600 A A |
| 275/40R20 | 106Y | XL | 10 | 600 A A |





| 9 | Wet Performance |
|-------|-----------------|
| 8 | Dry Performance |
| 9 | Ride Comfort |
| 9 | Quietness |
| 9 | Tread Life |

H,T,V AND W SPEED RATED, UTQG 700 A A 60,000 Mile Limited Treadwear Warranty

The TOUR SUV is tailored for SUV drivers pursuing excellence in both comfort and drivability. The TOUR SUV stays in tune with the driver's needs for responsive handling and traction, incorporating the need for a quiet, comfortable cabin, while ensuring vehicle size and weight requirements are met. Available in a modern size range and backed by a premium mileage warranty, the TOUR SUV is engineered to deliver and enhance the driving experience specifically for today's SUV's and CUV's.

- Wet Handling: Broad circumferential grooves integrated with shoulder lateral grooves, provide effective water evacuation, ensuring exceptional wet traction.
- Premium Mileage: High mileage tread compounds formulated via advanced mixing technology are used with optimized contact footprint to promote longer tread life
- Quiet Cabin: Frequency staggering technology and multi-pitch design are optimized by SPPS noise simulation technology ensuring minimal road noise

| SIZE | LI/SR | L.R. |
|-----------|-------|------|
| | | |
| 215/65R16 | 98H | |
| 215/70R16 | 100H | |
| 235/60R16 | 100H | |
| 245/70R16 | 107T | |
| 255/70R16 | 111H | |
| 265/70R16 | 112H | |
| 215/60R17 | 96H | |
| | | |

| 213/03810 | 901 | | 10 | 700 A A |
|-----------|------|----|----|---------|
| 215/70R16 | 100H | | 10 | 700 A A |
| 235/60R16 | 100H | | 10 | 700 A A |
| 245/70R16 | 107T | | 10 | 700 A A |
| 255/70R16 | 111H | | 10 | 700 A A |
| 265/70R16 | 112H | | 10 | 700 A A |
| 215/60R17 | 96H | | 10 | 700 A A |
| 225/55R17 | 97V | | 10 | 700 A A |
| 225/60R17 | 99H | | 10 | 700 A A |
| 225/65R17 | 102H | | 10 | 700 A A |
| 235/55R17 | 99V | | 10 | 700 A A |
| 235/60R17 | 102H | | 10 | 700 A A |
| 235/65R17 | 104H | | 10 | 700 A A |
| 245/65R17 | 107H | | 10 | 700 A A |
| 255/60R17 | 106H | | 10 | 700 A A |
| 265/65R17 | 112H | | 10 | 700 A A |
| 215/55R18 | 95H | | 10 | 700 A A |
| 225/55R18 | 98V | | 10 | 700 A A |
| 225/60R18 | 100H | | 10 | 700 A A |
| 235/50R18 | 97V | | 10 | 700 A A |
| 235/55R18 | 100V | | 10 | 700 A A |
| 235/60R18 | 107V | XL | 10 | 700 A A |
| 235/65R18 | 106H | | 10 | 700 A A |
| 245/60R18 | 105H | | 10 | 700 A A |
| 255/55R18 | 109V | XL | 10 | 700 A A |
| 255/65R18 | 111T | | 10 | 700 A A |
| 265/60R18 | 110H | | 10 | 700 A A |
| 225/55R19 | 99V | | 10 | 700 A A |
| 235/45R19 | 95V | | 10 | 700 A A |
| 235/50R19 | 103V | XL | 10 | 700 A A |
| 235/55R19 | 105V | XL | 10 | 700 A A |
| 245/55R19 | 103V | | 10 | 700 A A |
| 255/50R19 | 107V | XL | 10 | 700 A A |
| 255/55R19 | 111V | XL | 10 | 700 A A |
| 255/60R19 | 109H | | 10 | 700 A A |
| 265/50R19 | 110V | XL | 10 | 700 A A |
| 235/55R20 | 105V | XL | 10 | 700 A A |
| 245/50R20 | 102V | | 10 | 700 A A |
| 245/60R20 | 107H | | 10 | 700 A A |
| 255/50R20 | 109V | XL | 10 | 700 A A |
| 255/55R20 | 110V | XL | 10 | 700 A A |
| 265/50R20 | 107H | | 10 | 700 A A |
| 275/40R20 | 106W | XL | 10 | 700 A A |
| 265/40R21 | 105W | XL | 10 | 700 A A |
| 275/40R21 | 107W | XL | 10 | 700 A A |
| 275/45R21 | 110W | XL | 10 | 700 A A |
| 285/40R21 | 109W | XL | 10 | 700 A A |
| 295/35R21 | 107W | XL | 10 | 700 A A |
| 315/40R21 | 115W | XL | 10 | 700 A A |
| | | | | |

UTQG

700 A A


T.D. 32nds 10

PARAGON TRACRUNNER





| SIZE | LI/SR | L.R. | T.D. | UTQG |
|-------------|----------|------|-------|------|
| | | | 32nds | |
| LT225/75R16 | 115/112S | 10PR | 13 | _ |
| LT235/85R16 | 120/116S | 10PR | 13 | _ |
| LT245/75R16 | 120/116Q | 10PR | 13 | _ |
| LT265/75R16 | 123/120Q | 10PR | 13 | _ |
| LT265/70R17 | 121/118Q | 10PR | 13 | _ |



Q, R, AND S SPEED RATED

The Paragon TracRunner HT is engineered to deliver a combination of comfort and performance on pickups and SUVs vehicles. A staggered tread block design provides a quiet, superior ride while full-depth sipes deliver exceptional all-weather traction throughout its long life. The Paragon TracRunner HT features a specially formulated compound for enhanced tread life.

- Block design provides noise cancellation, balances pressure and allows for more contact points on the road surface.
- Block edge design provides better wet traction and handling.
- Enhanced upper shoulder profile allows better surface contact for control.
- Tie bars on shoulders for high speed stability.
- Jointless Bead Cover: spiral steel band wrapped around beads improves the structural rigidity of the tire resulting in a smooth ride.
- Rim Protector.

For full warranty details, visit www.paragontires.com/warranty





9 8 9 8 8 9

Dry Performance Ride Comfort Quietness Tread Life

50,000 Mile Limited Treadwear Warranty * Mileage warranty does not apply to LT designated tires.

The PARAGON RIDGERUNNER AT² is a premium all-terrain tire specifically designed for pickup trucks and SUVs. The RIDGERUNNER AT² excels in delivering reliable performance across diverse driving conditions, both on and off the road. The tire is 3PMS certified (Three Peak Mountain Snowflake), ensuring consistent capability in severe winter conditions while maintaining a quiet and comfortable ride year-round.

- Harmonious Vehicle Cabin: The tire's optimized pitch sequence, developed through Finite Element Analysis, effectively reduces resonance and road noise, ensuring a quieter and more comfortable cabin experience.
- Durability and Toughness: Engineered with function in mind, tire casing construction and advanced materials ensure exceptional durability, resisting punctures and damage while on or off-road.
- All-Weather Versatility: 3PMS certified, deep all-terrain tread lugs, and staggered shoulder tread blocks, provide dependable traction on a variety of terrains and throughout different seasons.



| SIZE | LI/SR | L.R. | T.D. | UTQG |
|--------------------------------|--------------|--------------|----------|---------|
| | | | 32nds | |
| 235/75R15 | 109S | XL | 13 | 620 A B |
| 265/70R16 | 112T | SL | 13 | 620 A B |
| 235/70R16 | 106S | SL | 13 | 620 A B |
| 265/75R16 | 116S | SL | 13 | 620 A B |
| 245/75R16 | 111S | SL | 13 | 620 A B |
| 235/65R17 | 104S | SL | 13 | 620 A B |
| 255/65R17 | 110T | SL | 13 | 620 A B |
| 265/65R17 | 112S | SL | 13 | 620 A B |
| 245/65R17 | 107S | SL | 13 | 620 A B |
| 245/70R17 | 110T | SL | 13 | 620 A B |
| 265/70R17 | 115S | SL | 13 | 620 A B |
| 275/65R18 | 116T | SL | 13 | 620 A B |
| 265/65R18 | 114T | SL | 13 | 620 A B |
| 265/70R18 | 116T | SL | 13 | 620 A B |
| 275/55R20 | 117T | XL | 13 | 620 A B |
| 265/50R20 | 111T | XL | 13 | 620 A B |
| 275/60R20 | 115T | SL | 13 | 620 A B |
| 285/45R22 | 114H | XL | 13 | 620 A B |
| LT235/85R16 | 120/116S | 10PR | 16 | |
| LT245/75R16 | 120/116S | 10PR | 16 | |
| LT265/75R16 | 123/120S | 10PR | 16 | |
| LT225/75R16 | 115/112S | 10PR | 16 | |
| LT265/70R17 | 123/120S | 10PR | 16 | |
| LT245/70R17 | 119/116S | 10PR | 16 | |
| LT235/80R17 | 120/117R | 10PR | 16 | |
| LT245/75R17 | 121/118S | 10PR | 16 | |
| LT285/70R17 | 126/123S | 10PR | 16 | |
| LT315/70R17 | 126/123S | 10PR | 16 | |
| LT275/65R18 | 123/120R | 10PR | 16 | |
| LT275/70R18 | 125/122R | 10PR | 16 | |
| LT265/70R18 | 124/121S | 10PR | 16 | |
| LT265/60R20 | 121/118R | 10PR | 16 | |
| LT275/60R20 | 123/120R | 10PR | 16 | |
| LT275/65R20 | 126/123R | 10PR | 16 | |
| LT275/55R20 | 120/117R | 10PR | 16 | |
| LT285/60R20 | 125/122R | 10PR | 16 | |
| LT305/55R20 | 121/118R | 10PR | 16 | |
| 31X10.50R15LT | 109S | 6PR | 16 | |
| | | | | |
| 35X12.50R17LT | 125R | 10PR | 16 | |
| 35X12.50R17LT 33X12.50R18LT | | 10PR 10PR | 16 16 | |
| | 125R | | | |
| 33X12.50R18LT | 125R 118S | 10PR | 16 | |







Wet Performance Dry Performance Ride Comfort Quietness Tread Life

S,T AND Q SPEED RATED / UTQG 600 A B



45,000 Mile Limited Treadwear Warranty * Mileage warranty does not apply to LT designated tires.

The Paragon Ridgerunner RT tire; Your reliable adventure companion for every season and every terrain. Designed to conquer diverse weather conditions with ease, even the colder temperatures being 3PMS certified. Featuring an optimized tread pattern, it ensures enhanced traction on any terrain, empowering drivers to navigate with confidence and control. Deep tread, ample traction and well-balanced road manners for your everyday travels. The RIDGERUNNER RT is your trusted rugged terrain tire.

- Navigate with ease across various terrains thanks to the tire's optimized tread design and deep tread depths (16&18/32), offer superior traction and control, empowering drivers to tackle any road with confidence.
- Tire's aggressive sidewall biters enhance off-road performance and protection, offering increased puncture resistance and a functional rugged appearance
- Experience peace of mind, knowing that the tire is 3PMS certified for severe snow conditions, providing consistent grip and traction even in challenging winter temperatures.



| SIZE | LI/SR | L.R. | T.D. | UTQG | MAX LOAD | MAX LOAD | stud Size |
|---------------|----------|------|-------------------|---------|-------------|-------------|--------------|
| | | | 32 ^{nds} | | 1X | 2X | |
| 265/70R17 | 115T | | 16 | 600 A B | 2679@44 | | |
| 255/70R18 | 116T | XL | 16 | 600 A B | 2756@50 | | |
| 265/60R18 | 114S | XL | 16 | 600 A B | 2601@50 | | |
| 265/65R18 | 116T | XL | 16 | 600 A B | 2756@50 | | |
| 265/70R18 | 116S | | 16 | 600 A B | 2756@44 | | |
| 275/65R18 | 116T | XL | 16 | 600 A B | 2756@50 | | |
| 265/50R20 | 111T | XL | 16 | 600 A B | 2403@50 | | |
| 275/55R20 | 117T | XL | 16 | 600 A B | 2833@50 | | |
| 275/60R20 | 116T | XL | 16 | 600 A B | 2756@50 | | |
| 285/45R22 | 114Q | XL | 16 | 600 A B | 2601@50 | | |
| LT245/70R17 | 119/116Q | 10PR | 18 | | 3000@80 | 2755@80 | 15 |
| LT245/75R17 | 121/118Q | 10PR | 18 | | 3195@80 | 2910@80 | 15 |
| LT265/70R17 | 123/120Q | 10PR | 18 | | 3415@80 | 3085@80 | 15 |
| LT285/70R17 | 126/123Q | 10PR | 18 | | 3750@80 | 3415@80 | 15 |
| LT265/65R18 | 122/119Q | 10PR | 18 | | 3305@80 | 3000@80 | 15 |
| LT265/70R18 | 124/121Q | 10PR | 18 | | 3525@80 | 3195@80 | 15 |
| LT275/65R18 | 123/120Q | 10PR | 18 | | 3415@80 | 3085@80 | 15 |
| LT275/70R18 | 125/122Q | 10PR | 18 | | 3640@80 | 3305@80 | 15 |
| LT275/55R20 | 120/117Q | 10PR | 18 | | 3085@80 | 2835@80 | 15 |
| LT275/65R20 | 126/123Q | 10PR | 18 | | 3750@80 | 3415@80 | 15 |
| LT305/55R20 | 125/122Q | 12PR | 18 | | 3640@80 | 3305@80 | 15 |
| LT275/60R20 | 123/120Q | 10PR | 18 | | 3415@80 | 3085@80 | 15 |
| 33X12.50R17LT | 120Q | 10PR | 18 | | 3085@65 | | 15 |
| 35X12.50R17LT | 125Q | 10PR | 18 | | 3640@65 | | 15 |
| 37X12.50R17LT | 124Q | 8PR | 18 | | 3525@50 | | 15 |
| 33X12.50R18LT | 122Q | 12PR | 18 | | 3305@80 | | 15 |
| 35X12.50R18LT | 128Q | 12PR | 18 | | 3970@80 | | 15 |
| 37X12.50R18LT | 128Q | 10PR | 18 | | 3970@65 | | 15 |
| 33X12.50R20LT | 119Q | 12PR | 18 | | 3000@80 | | 15 |
| 35X12.50R20LT | 125Q | 12PR | 18 | | 3640@80 | | 15 |
| 35X13.50R20LT | 126Q | 12PR | 18 | | 3750@80 | | 15 |
| 37X12.50R20LT | 126Q | 10PR | 18 | | 3750@65 | | 15 |
| 33X12.50R22LT | 114Q | 12PR | 18 | | 2600@80 | | 15 |
| 35X12.50R22LT | 121Q | 12PR | 18 | | 3195@80 | | 15 |
| 37X12.50R22LT | 127Q | 12PR | 18 | | 3860@80 | | 15 |
| 37X13.50R22LT | 128Q | 12PR | 18 | | 3970@80 | | 15 |

* 3PMS Certified

* LT tires are pinned for studs



ROAD HAZARD REPLACEMENT PROGRAM

PARAGON Tire offers a "limited, free replacement" road hazard program which applies to all PARAGON passenger and light truck patterns. This program is a gesture of goodwill and not a warranty that your tire will not fail due to a road hazard. This free replacement road hazard program applies only during the first 3/32 of the original usable tread or two years from the date of purchase, whichever comes first. PARAGON will replace the un-repairable tire with a similar new PARAGON Tire. Mounting, balancing and applicable taxes are the responsibility of the consumer. Once a tire is worn beyond the first 3/32, or more than two years from date of purchase, this road hazard program is null and void. Repairable tires must always be repaired at the vehicle owner's expense.



The Road Hazard Replacement Program applies to all tires purchased after January 1, 2025. (Tires purchased prior to 1/1/2025 do not qualify for this program)





USA LIMITED WARRANTY PASSENGER & LIGHT TRUCK TIRES

This Limited Warranty / Adjustment Policy provides for tire replacement under specified conditions. This policy applies to PARAGON tires used in normal highway service (commercial applications excluded) displaying warrantable conditions. Tires that become unserviceable or wear out because of neglect or mistreatment are excluded from PARAGON warranty coverage.

THIS IS THE ONLY EXPRESSED WARRANTY MADE BY SAILUN TIRE AMERICAS NO EMPLOYEE, RETAILER, DEALER, OR REPRESENTATIVE HAS THE AUTHORITY TO MAKE ANY WARRANTY, REPRESENTATION, PROMISE OR AGREEMENT THAT IN ANY WAY VARIES THE TERMS OR CONDITIONS SET FORTH IN THIS LIMITED WARRANTY.

WARRANTY ELIGIBILITY

This warranty applies to every PARAGON replacement passenger car or light truck tire bearing the PARAGON brand name and complete Department of Transportation serial identification number while operated in normal highway use (commercial applications excluded) in the USA. These tires are covered by this warranty for the life of the original useable tread depth (the original tread depth down to the level of tread wear indicators molded at 2/32 inch) within 60 months from the date of purchase (proof of purchases required), or if proof of purchase is not available, the coverage will be 60 months from the date of manufacture. This warranty applies only to the original tire purchaser, and is not transferrable to any other party. This time period does not represent the expected service life for tires covered by this warranty.

WHAT IS NOT WARRANTED

Improper repairs or repairs that have failed. Improper repairs will void this Limited Warranty.

Improper maintenance which can include: improper inflation or other maintenance abuses.

Improper application or operations such as speeding, improper tire size and / or specification.

Improper mounting / dismounting procedures, tire/wheel assembly imbalance.

Mechanical irregularities in the vehicle or wheel, such as bent wheel assemblies, misalignment, worn or faulty components.

Weather checking/cracking or failures after four years (60 months) from the date of manufacture.

Accident, corrosion, vandalism, fire or damages caused by contamination by petroleum or other chemical products. Tires used in commercial applications such as taxis, shuttle vehicles and couriers.

Irregular tread wear, or worn-out (beyond 2/32nds remaining tread depth) is not covered under the Paragon Limited Warranty Road hazard injuries or damages caused by obstacles or debris, such as cuts, punctures (whether repairable or not), snags, bruises, tears, abrasions or impact breaks (whether repairable or not), etc.

Damage from racing, off road use (forestry roads, gravel, rock) and misapplication of the tire to vehicle.

ADDITIONAL EXCLUSIONS

Materials added such as fillers, sealants, balancing substances and external tire treatments. If the added material is the cause of a failure the warranty will be deemed as void.

Tires submitted for ride disturbance complaints after 25% (2/32") tread wear.


Tires on vehicles registered or operated outside of the USA. Tires not purchased in the USA through the Sailun Tire Americas distribution channel.

Tires purchased as used.

Tires branded by Paragon to note special classification at time of purchase, such as "NA" (non-adjustable), or tires altered by notching or buffing.

Tires used on vehicles in racing or special applications. Tires rendered unserviceable due to snow chains or studs. Flat spotting due to improper storage or caused by brake lock. Paragon products produced prior to January 1, 2013.

* Note: Consequential damage mentioned above may not apply to you based on individual State limitations.





WHAT IS WARRANTED

Tires that have become unserviceable for reasons other than stated above, within 48 months of the date of manufacturer or 60 months from the date of purchase (proof of purchase required) during its useable tread life, the tires will be replaced in accordance with this warranty.

LIMITED MILEAGE WARRANTY

| MODEL | defects / Materials | # Months | TREAD LIFE PROTECTION | MILES / Months |
|------------------|------------------------|-------------|--------------------------|-------------------|
| TOUR A/S | Yes | 60 | Yes | 60K/60 |
| SPORT HP AS2 | Yes | 60 | Yes | 50K/60 |
| Paragon Tour SUV | Yes | 60 | Yes | 60K/60 |
| TRACRUNNER HT | Yes | 60 | No | - |
| RIDGERUNNER AT2 | Yes | 60 | No | 50K/60 |
| RIDGERUNNER RT | Yes | 60 | Yes | 45K/60 |
| | | | | |

Note: All tire models, staggered vehicle fitments have half mileage for rear tires if different size than the front tires

Select PARAGON tires are assigned a Limited Mileage Warranty that protects the consumer against premature tread wear. If a tire reaches the end of its "usable tread life" before the stated mileage protection, the consumer will be issued a replacement PARAGON tire on a prorated basis, which means the consumer will be responsible for a percentage of the replacement cost. In order to maintain limited mileage protection, all tires must be properly inflated, balanced, rotated and aligned as recommended by vehicle manufacturer. All claims must be accompanied by the original purchase invoice as well as invoices for all on time services provided. Under all circumstances, the cost of mounting, balancing and any other service charges including applicable taxes, disposal fees are required to be paid by the consumer.

APPROVED TIRE ROTATION INTERVALS AND PATTERNS

The purpose of regularly rotating tires is to prolong their useful life by achieving more uniform wear for all tires on a vehicle. Before rotating tires, always consult the owner's manual for rotation recommendations for specific vehicles. If no rotation period is specified, tires should be rotated, at minimum, every 6,000 miles or at any sign of uneven wear. The first rotation is the most important. Rotating the tires as recommended by the vehicle or tire manufacturer will help even out the amount of wear on each tire and extend the life of the entire set. Such tires include: "Temporary Use Spares", unidirectional tires and tires with asymmetric tread designs. Also, some vehicles may have different sized tires mounted on the front and rear axles, and these different sized tires have rotation restrictions. Check the owner's manual for the proper rotation recommendations for these special cases. When tires are rotated, the inflation pressures must be adjusted for the tires' new positions in accordance with the actual loads on that wheel position and the vehicle manufacturer's recommendations. Underinflated or overinflated tires may result in poor handling, uneven tread wear, and increased fuel consumption. If the tires show uneven wear, ask the service person to check for and correct any misalignment, imbalance, or other mechanical problem before rotation.

ADJUSTMENT POLICY

Passenger and Light Truck Tires When the original usable tread is worn 25% (2/32") or less, and a warrantable condition is found, the tire will be replaced with a comparable new PARAGON tire free of charge. Replacement tires will be mounted and balanced at the vehicle owner's expense. Other service charges such as tire rotation, alignment or applicable taxes are payable by the customer. When a tire has worn past the above specified period for free replacement and a warrantable condition is found, the customer must pay for the cost of a new comparable PARAGON passenger or light truck tire on a prorated basis. The dealer shall determine this cost by multiplying the percentage of usable tread worn by the current retail selling price (Suggested Retail Price x 80%) of that tire at the time of warranty replacement. The cost of mounting, balancing and any other service charges or applicable taxes are payable by the customer.

MANDATORY TIRE REGISTRATION

For tires purchased in the USA, please register your tires at: paragontireusa.com

ALL PARAGON TIRE WARRANTIES MUST BE SUBMITTEDTHROUGH THE POINT OF PURCHASE

Rev 10.24U





PERFORMANCE TIRES

PARAGONTIRES.COM

V3.2**5**U